



## PRODUCT SAFETY DATA SHEET

## 1. Identification

Product identifier used on the label:	Polystyrene Sheet
Other means of identification:	Plastic Sheet
Synonyms:	Not applicable
Recommended use of the product and	Dunnage, Building Construction
restrictions on use:	Do not use without applicable controls in place
Name, address, and telephone number	Primex Plastics Corporation
of the chemical manufacturer,	1235 North F Street
importer, or other responsible party:	Richmond, IN 47374 800-222-5116
Emergency phone number:	800-263-2859

#### 2. Hazard(s) identification

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on the existing health data for individual components which comprise the mixture.

i. The ingredients in this product are bound in a thermoplastic resin matrix. In accordance with GHS for the classification of the product, the hazard potential may be assessed with respect to the physic-chemical form and/or bioavailability of the individual components in the thermoplastic resin. ii. Where GHS classifications are shown below, these are based on individual components in the thermoplastic resin matrix. Under typical use conditions for the product, these hazardous components are unlikely to contribute to the workplace exposure. Please read the entire safety data sheet and/or consult an EHS professional for a complete understanding.

## Classification of the chemical in accordance with paragraph (d) of §1910.1200;

This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

GHS classification: Signal word:	None None
Hazard statements:	None
Precautionary statements:	This product contains no substances which, at their given concentration, are considered to be hazardous to health.
Prevention:	Obtain special instructions before use.
	Do not handle until all safety precautions have been read and understood.
	Wash thoroughly after handling.
	Wear protective gloves/protective clothing/eye protection/face protection.
Response:	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Storage:	No information available
Disposal:	Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.





Hazards not otherwise classified:	COMBUSTIBLE DUST: If small particles are generated during further processing, handling, or by other means, combustible dust concentrations in air may form. Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat. In the event that combustible dust is generated, the hazard is posed only by the size of the particle not its chemical content because all monomers, additives and pigment are totally encapsulated within the resin and cannot be released in pure form.
Additional Information:	Can burn in a fire creating dense, toxic smoke. Molten plastic can cause severe thermal burns. Fumes produced during melt processing may cause eye, skin and respiratory tract irritation. Severe over-exposure may result in nausea, headache, chills and fever. See below for additional effects.

### 3. Composition/ information on ingredients

Chemical component:	Common name and synonyms	CAS Number	Concentration (%)
Styrene, 1,3-Butadiene Copolymer	Polystyrene	9003-55-8	95-100%

This product consists primarily of high molecular weight polymers which are not expected to be hazardous. The ingredients in this product are present within the polymer matrix and are not expected to be hazardous.

#### 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:	Remove individual to fresh air after an airborne exposure if any symptoms develop, as a precautionary measure.
Eyes:	If there is contact to the eyes with molten material, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing and seek immediate medical attention. If fines enter the eye, rinse with water for 15 minutes and seek immediate medical attention if irritation develops.
Skin Contact:	Wash with soap and water. If skin has contact with molten material, place affected area under cold running water.
Ingestion:	No hazard in normal industrial use.
Most important symptoms/effects, acute and delayed:	No data available
Indication of immediate medical attention and special treatment needed, if necessary:	Gasses and fumes during thermal processing or the decomposition of this material may irritate eyes, skin or respiratory tract.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:





Suitable extinguishing media: Unsuitable extinguishing media: Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products): Special protective equipment and precautions for fire-fighters: Use extinguishing media appropriate for surrounding fire. Do not use a solid water stream as it may scatter and spread the fire Irritating and toxic gasses and aerosols may be generated by thermal decomposition. Hazardous combustion products include: carbon dioxides, carbon monoxide and hydrocarbons. Use methods appropriate for surrounding materials. Firefighters should be equipped with self-contained breathing apparatus.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Methods and materials for containment and cleaning up: Processing dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive cloud if dispersed. Avoid cleaning dust surfaces with compressed air. Collect and discard in regular trash.

7. Handling and storage

Precautions for safe handling:	Electrostatic charge may accumulate and create a possible hazardous condition when handling this material. To minimize this hazard, bonding and grounding of equipment may be necessary.	
Conditions for safe storage, including any incompatibilities:		
Conditions for safe storage:	Store locked up.	
Materials to avoid/chemical	Protect against flame and intense heat.	
incompatibilities:		

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Name	US OSHA PEL (8Hr)	ACGIH	Canada - (8Hr.)
Styrene 100-42-5	FRL_STEL:425 mg/m <sup>3</sup>	STEL: 40 ppm; TWA: 20 pp; Notations:	OEL_15 mins: 170
	100 ppm; FRL_TWA	Not	mg/m <sup>3</sup> , 40 ppm
	215 mg/m <sup>3,</sup> 50 ppm	classified as a human	OEL_15 mins: 170
	TL_PEL:	carcinogen	8 hr.: 85 mg/m <sup>3</sup>
		BEI; Crit Eff: CNS	20 ppm
		impairment, peripheral neuropathy	
		upper respiratory	
		tract irritation	
1,3- Butadiene			
106-99-0	5 ppm STEL	4.4 mg/m3, 2ppm	
	1 ppm TWA		





Appropriate engineering controls:	No engineering controls are likely to be required to maintain operator comfort under normal conditions of use.
Individual protection measures, such as particular Respiratory Protection:	ersonal protective equipment: Effective Dust Mask
Eye Protection: Skin Protection:	Safety glasses with side shields are recommended Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Other protective equipment: General hygiene conditions:	Gloves may be required when processing sheet due to sharp edges and when plastic is in the molten state. Wash hands thoroughly after handling. Wear protective gloves, protective clothing, eye protection and face protection.

# 9. Physical and chemical properties

# Appearance (physical state, color, etc.):

Appearance (physical state):	Solid Polystyrene Sheet
Color:	No data available
Odor:	None
Odor threshold:	No data available
pH:	No data available
Melting point:	270 F (>132 C)
Initial boiling point and boiling range:	No data available
Flash point:	No data available
Evaporation Rate:	Not determined
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive li	mits:
Upper flammability or explosive	No data available
limits:	
Lower flammability or explosive	No data available
limits:	
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	1
Solubility(ies):	Not determined
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	824 F (440 C)
Decomposition temperature:	> 572 F (300 C)
Viscosity:	No data available

# 10. Stability and reactivity

Reactivity:	No data available
Chemical stability:	Stable under normal conditions.





Possibility of hazardous reactions: Conditions to avoid (e.g., static discharge, shock, or vibration): Incompatible materials: Hazardous decomposition products: None known None known.

None Known Irritating or toxic gasses may occur by fire

## **11.** Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):	No data available
Symptoms related to the physical, chemical and toxicological characteristics:	See data in this section

## Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate	(Acute)	Health Effects by	y Route of	Exposure:

Inhalation Irritation:	No data available			
Inhalation Toxicity:	No data available			
Skin Contact:	No information regarding skin irritation.			
Skin Absorption:	No data available			
Eye Contact:	No information regarding eye irritation.			
Ingestion Irritation:	No data available			
Ingestion Toxicity:	No data available			
Long-Term (Chronic) Health Effects:				
Carcinogenicity:	No data available			
Reproductive and Developmental	No data available to indicate product or any components present at			
Toxicity:	greater than 0.1% may cause birth defects.			
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.			

## Numerical measures of toxicity (such as acute toxicity estimates).

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation:
No data available			

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA.

Chemical name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
None			

## 12. Ecological information

Ecotoxicity (aquatic and terrestrial,	
where available):	

No data available





# **Ecotoxicity Data:**

Chemical component	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available				
Persistence and degradability	: 1	No data available		
Bioaccumulative potential:		No data available		
Mobility in soil:		No data available		
Other adverse effects (such as	s [	No data available		
hazardous to the ozone layer)				
13. Disposal considerations				
Description of waste residues		ion on their safe handling	and methods of dispos	sal, including the
disposal of any contaminated				
Waste treatment methods:		Dispose of contents and co		
	I	ocal/regional/national/inte	ernational regulations.	Recycle if possible.
14. Transport information				
UN proper shipping name: Transport hazard class(es): Packing group, if applicable: nternational carriage of danger UN number: UN proper shipping name: Transport hazard class(es): Packing group, if applicable:	ו ous goods by ו ו	DOT & IATA: NOT RESTRICT NA <b>sea (IMDG/IMO):</b> Not applicable Not applicable NA NA	ED	
nternational carriage of danger	ous goods by	air (IATA):		
UN number:		Not applicable		
UN proper shipping name:		No data available		
Transport hazard class(es):		NA		
Packing group, if applicable:	ſ	NA		
Environmental hazards (e.g., I pollutant (Yes/No)):	Marine 1	No		
Transport in bulk (according to of MARPOL 73/78 and the IBC		No data available		
Special precautions which a us to be aware of, or needs to co with, in connection with trans conveyance either within or o	ser needs for a ser needs for a ser needs for a series of a series	No data available		





their premises:

#### 15. Regulatory information

#### Safety, health and environmental regulations specific for the product in question:

#### International Inventories:

TSCA (USA)	All Listed on TSCA	
DSL (Canada)	All Listed on DSL	

Chemical component	CAS #	EINECS (Europe)
Listed		

#### **Restriction of Hazardous Substances Directive:**

Chemical component	CAS #
No known ROHS substances contained in this product	

#### REACH - Substances of Very High Concern (Based on List dated July 7, 2017):

Chemical component	CAS #
No known SVHC substances contained in this product	

#### **Regulated components:**

Chemical component	CAS #	CERCLA	Canada- WHMIS Classification	California Prop 65	SARA EHS	SARA 313
Styrene	100-42-5	Yes	BD2	Yes	Yes	Yes
1,3-Butadiene	106-99-0	Yes	No	Yes	Yes	Yes

#### SARA Title III Section 311/312 Category Hazards:

Immediate (acute	) Delayed (chronic)	Fire Hazard	Pressure Release	Reactive
No	No	No	No	No

16. Other information, including date of preparation or last revision

Revision Date:	10-11-2017
Revision Number:	13

Disclaimer: The information in this SDS pertains only to the product as shipped. Information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. THIS SAFETY DATA SHEET IS PROVIDED BY Primex Plastics Corporation. PURSUANT TO OSHA REGULATIONS, 29 CFR 1910.1200. THE INFORMATION PROVIDED IN THE SHEET IS TRUE AND ACCURATE AS THE DATE INDICATED, TO THE





BEST OF OUR KNOWLEDGE. THE INFORMATION IS NOT INTENDED TO COVER EVERY CONCEIVABLE USE OR HANDLING OF THE MATERIAL, AND ACTUAL CONDITIONS OF USE AND HANDLING MAY REQUIRE CONSIDERATIONS OR INFORMATION OTHER THAN, OR IN ADDITION TO, THAT WHICH IS CONTAINED IN THIS SHEET. THE INFORMATION CONTAINED HEREWITH ON THIS MATERIAL WITHOUTSHOULD NOT BE THE ONLY REFERENCE, NOR SHALL NOT BE CONSTRUED AS, A REPRESENTATION OR WARRANTY OF ANY KIND WHATSOEVER, IN CONNECTION WITH THE USE OF DISTRIBUTION OF THE MATERIAL OR THE MATERIAL ITSELF.